



## Ceiling Mount Accessories

### Description

Siqura® offers a wide range of accessories to support a variety of camera installation requirements, including special optical dome covers, mounting plates, brackets, tubes, and cable assemblies.

Specific data sheets for Siqura® wall, ceiling, or pole mounting applications and power supply options are available for the entire camera line.



CM01



CM02



CM03/MD, CM03/HD



CM04



CM06



WM02/HD



CC13, CC13/IP

# Technical Specifications

## Ceiling Mount Accessories

### CM01: Straight Tube, 25cm\*

Material	Iron
Height	250mm (9.8in)
Diameter	50mm (2in)
Weight	1kg (2.2lbs)

### CM02: Straight Tube, 50cm\*

Material	Iron
Height	500mm (19.7in)
Diameter	50mm (2in)
Weight	1kg (2.2lbs)

\*Supplied with 1x rubber washer-8, 1x pendant tube washer, 1x spring washer-8 and 1x M8\*12 screw

When used with MD12A, HD12A or HD16A WDR: order CC13 cable

When used with MSD622, HSD622 or HSD626: order CC13 /IP cable

### CM03/MD

Standard accessory for hard ceiling use with the indoor MD10A and MSD620

Height	19mm
Diameter of three holes	4.5mm
Diameter of the bracket	158mm
Weight	200g (7.05oz)

### CM03/HD

Standard accessory for hard ceiling use with the indoor HD10A and HSD620

Height	19mm
Diameter of three holes	4.5mm
Diameter of the bracket	158mm
Weight	200g (7.05oz)

### CM04/MD: Flush Mount

For in-ceiling installation of the indoor MD10A and MSD620

Height	85mm (3.35in)
Diameter	180mm (7.1in)
Weight	0.5kg (1.1lbs)
Red sticker	155 +/- 3mm (6.1 +/- 1.2in)

### CM04 /HD: Fush Mount

For in-ceiling installation of the indoor HD10A and HSD620

Height	85mm (3.35in)
Diameter	180mm (7.1in)
Weight	0.5kg (1.1lbs)
Red sticker	155 +/- 3mm (6.1 +/- 1.2in)

# Technical Specifications

## Ceiling Mount Accessories

### CM06: Recessed Ceiling Kit

For in-ceiling installation of FD820 and IFD820

Height	62.9mm (2.48in)
Diameter	200mm (7.87in)
Weight	340g (12oz)

### WM02/HD

Tube adapter for indoor PTZ domes

Height	73.9mm (2.91in)
Diameter	140.7mm (5.54in)
Weight	300g (10.58oz)

### CC13

1.3m cable	BNC/RS-485/power jacks 22 pins for WM07A, PM05 and CM02
------------	---

### CC13/IP

1.3m cable	BNC/audio/power jacks 22 pins for WM07A, PM05 and CM02
------------	--

### Ordering information

Models	Description
CM01	Straight tube 25cm
CM02	Straight tube 50cm
CM03/MD	Trim ring for MD10A and MSD620 models*
CM03/HD	Trim ring for HD10A and HSD620 models*
CM04/MD	Flush mount for MD10A/MSD620
CM04/HD	Flush mount for HD10A/HSD620
CM06	Recessed ceiling kit for FD820/IFD820
WM02/HD	Tube adapter for indoor PTZ domes

\*The trim rings supplied with the hard ceiling mount (CM03) must be attached to the flush mount (CM04).



The quality management system used in the development, production, sales, and support of this product is ISO 9001:2008 certified by LRQA.

© Siquira B.V. - January 2013 Version 1.0 - Subject to modification.

