



Wall Mount Accessories

Description

Siqura® offers a wide range of accessories to support a variety of camera installation requirements, including special optical dome covers, mounting plates, brackets, tubes, and cable assemblies.

Specific data sheets for Siqura® wall, ceiling, or pole mounting applications and power supply options are available for the entire camera line.



WM01A



WM02/MD; WM02/HD



WM04



WM05



WM06



WM07



WM08



CC13; CC13/IP



PTM01

Technical Specifications

Wall Mount Accessories

WM01A: Mini wall bracket

Dimensions (h x w x d)	184 x 104 x 115.2mm (7.24 x 4.09 x 4.54in)
Weight	2.1kg (4.6lbs)
Accessories	Supplied with 1x rubber washer-8, 1x pendant tube washer, 1x spring washer-8 and 1x M8*12 screw

WM02 /MD: Tube adapter*

Application	For mounting the indoor mini (IP) PTZ dome cameras, MD10A and MSD620, onto a straight tube, CM01/ CM02
Diameter	140mm (5.5in)
Height	74mm (2.9in)
Weight	300g (10.58oz)
Accessories	Supplied components: waterproof boot and hexagon key

WM02 /HD: Tube adapter*

Application	For mounting the indoor (IP) PTZ dome cameras, HD10A and HSD620, onto a straight tube, CM01/CM02
-------------	--

* The tube adapter (WM02) is a standard accessory supplied with the outdoor (IP) PTZ domes (MD12A, MSD622, HD12A, HD16A WDR, HSD622, HSD626)

WM04: Wall bracket

Accessories	For mounting of the BC14 and BC620 series
-------------	---

WM05: Corner standard mounting plate

Dimensions (h x w x d)	222 x 204 x 117mm (8.7 x 8 x 4.6in)
Weight	2kg (4.4lbs)
Accessories	Supplied with: 4x washer-8, 4x spring washer and 4x M8*16 screw and 4x M8 nut Compatible with WM01A, WM07A brackets

WM06: Wall box mounting

Dimensions (h x w x d)	270 x 166 x 95mm (10.6 x 6.5 x 3.7in)
Weight	2.2kg (4.84lbs)
Accessories	Supplied with: 4x washer-8, 4x spring washer and 4x M8*16 screw Compatible with WM01A, WM07A brackets

WM07: Standard pendant mount

Dimensions (h x w x d)	348 x 104 x 138.6mm (13.7 x 4.1 x 5.5in)
Weight	1.5kg (3.3lbs)
Accessories	Supplied with rubber washer-8x1, pendent tube washerx1, spring washer-8x1 and M8*12 screwx1

WM08: Tube adapter

Application	Tube adapter for HSD820H1-IM and HSD820H2-I
Diameter	110.66 mm (4.4 in)
Height	58 mm (2.3 in) (with Hard Ceiling Mount: 75.1 mm (3.0 in))
Weight	260 g (0.56 lbs)

Technical Specifications

Wall Mount Accessories

CC13

1.3m cable BNC/RS-485/power jacks 22 pins for WM07A, PM05 and CM02

CC13/IP

1.3m cable BNC/audio/power jacks 22 pins for WM07A, PM05 and CM02

PTM01: Pipe thread adapter

Application For adapting from a WM02 mounting interface to a standard 1 1/2" NPT pipe thread mount

Ordering information

Models	Description
WM01A	Mini wall bracket
WM02 /MD*	Tube adapter
WM02 /HD*	Tube adapter
WM04	Bracket, wall
WM05	Corner standard mounting plate
WM06	Wall box mounting
WM07	Standard pendant mount
WM08	Tube adapter

* The tube adapter (WM02) is a standard accessory supplied with the outdoor (IP) PTZ domes (MD12A, MSD622, HD12A, HD16A WDR, HSD622, HSD626)



The quality management system used in the development, production, sales, and support of this product is ISO 9001:2008 certified by LRQA.

© Siquira B.V. - January 2013 Version 1.2 - Subject to modification.

