



# VDG NVH-1004X

Video server 19", 1U, 4 bay HS, Xeon, SSD

## Description

The NVH-1004 series is a powerful, customizable, stackable and rack-mounted VDG Sense server. The compact size makes it perfect to integrate in any server environment. It combines top quality components and a user-friendly configuration to deliver high-power output and reliability. It's casing and components are engineered to ensure an optimized airflow (even when stacked) for higher efficiency, which results in lower energy consumption.

The front mounted hard-drives are configured for hot-swapping, as are the cooling fans, to ensure 24/7 operation. This means that the NVH-1004 series is easy to maintain and can reduce running costs.

The hard- and software of the NVH-1004 series is specifically selected for the most reliable and efficient VDG Sense setup. The hardware consist only of top-quality components from third party manufacturers, while a powerful experience is guaranteed with the Intel Xeon E3 CPU.

#### **Features**

- 1U Compact Server Chassis
- 4x 3.5" hot swappable HDD bays
- 6Gb/s SAS & Sata backplane with smart fan control
- Two Ethernet (1gb/s) ports
- Front-side USB ports for easy access (2x USB 2.0)
- Easy accessible license keytag
- Slide-lock
- Front-side optical indicators
- Slide rail

## Optional expansions:

- VDG Video server storage
- NVH-GBLAN for 1 extra Ethernet connection port



• Ethernet server adapter fiber











# Specs

| System                     |                                                                                                                        |
|----------------------------|------------------------------------------------------------------------------------------------------------------------|
| Operating system           | Microsoft Windows 10 Pro 64-bit                                                                                        |
| Hard disk                  | 64GB SSD (included)                                                                                                    |
| Recording Storage Capacity | Up to 40TB (3.5" hard disk drives)                                                                                     |
| Processor                  | Intel Xeon E3 processor                                                                                                |
| Memory                     | 16GB memory                                                                                                            |
| Network Interface          | Dual Gigabit Ethernet RJ-45 (10/100/1000 MB/s)                                                                         |
| Video output               | VGA                                                                                                                    |
| - Video output             | VOA                                                                                                                    |
| Mechanical                 |                                                                                                                        |
| Form Factor                | 1U 19-inch rackmount                                                                                                   |
| Dimensions (DxWxH)         | 660 mmx 429 mm x 43 mm (26" x 16.9" x 1.7")                                                                            |
|                            |                                                                                                                        |
| Electrical                 |                                                                                                                        |
| Power Input                | 100-240VAC,50/60Hz 5A                                                                                                  |
| Power Supply               | 300W Single                                                                                                            |
| Power Consumption          | 200W                                                                                                                   |
|                            |                                                                                                                        |
| Enviromental               |                                                                                                                        |
| Operating Temperature      | 5° C - 40° C (41°F - 104°F)                                                                                            |
| Storage Temperature        | -40° C - 65° C (-40°F - 149°F)                                                                                         |
|                            |                                                                                                                        |
| Ordering Info              |                                                                                                                        |
| NVH-1004X                  | Video server 19", 1U, 4 bay HS, Xeon, SSD                                                                              |
| Supplied Accessories       | USB Compact Keyboard                                                                                                   |
|                            | USB Optical Mouse                                                                                                      |
|                            | Power Cord 1.5 meter                                                                                                   |
|                            | Slide rail                                                                                                             |
| VDG Server accessories     |                                                                                                                        |
| NVH-GBLAN                  | Fisher 100/1000Mlara LANI interface                                                                                    |
|                            | Extra 100/1000Mbps LAN interface                                                                                       |
| NVH-I350F2<br>NVH-81TB     | Ethernet server adapter fiber  Basic video server storage 1TB (incl. assembly and config)                              |
| NVH-82TB                   | Basic video server storage 11B (incl. assembly and config)  Basic video server storage 2TB (incl. assembly and config) |
| NVH-83TB                   | Basic video server storage 2TB (incl. assembly and config)  Basic video server storage 3TB (incl. assembly and config) |
| NVH-84TB                   | Basic video server storage 31B (incl. assembly and config)  Basic video server storage 4TB (incl. assembly and config) |
| NVH-86TB                   | Basic video server storage 4TB (incl. assembly and config)  Basic video server storage 6TB (incl. assembly and config) |
| NVH-88TB                   | Basic video server storage 8TB (incl. assembly and config)                                                             |
| NVH-810TB                  | Basic video server storage 01B (incl. assembly and config)                                                             |
| NVH-92TB                   | Pro video server storage 2TB (incl. assembly and config)                                                               |
| NVH-94TB                   | Pro video server storage 4TB (incl. assembly and config)                                                               |
| NVH-96TB                   | Pro video server storage 6TB (incl. assembly and config)                                                               |
| NVH-98TB                   | Pro video server storage 8TB (incl. assembly and config)                                                               |
|                            |                                                                                                                        |
| NVH-910TB                  | Pro video server storage 10TB (incl. assembly and config)                                                              |