

# NVH-1504IR

Video server 19", 4U, 4 bay HS, i7, SSD, RAID

## DESCRIPTION

The NVH-1504IR is a powerful, 4U, rack-mounted VDG Sense server. The hard- and software of the NVH-1504IR is selected for a standalone VDG Sense Server with viewer possiblities. The hardware consist only of top-quality components from third party manufacturers as Asus, Western Digital and Intel.

### FEATURES

4U Compact Server Chassis

Standalone server andviewer possiblities

4x 3.5" hot swappableHDD bays

Standard RAID 5configuration

Supports PS/2 single and1+1 redundant PSU

Two Ethernet (1gb/s) ports

Front-side USB ports for easy access (2x USB 2.0)

Slide rail included





The front-mounted hard-drives are configured for hot-swapping, as are the cooling fans, to ensure 24/7 operation. This means that they are easy to service and can reduce running costs. The reliability is ensured through a standard RAID 5 configuration and redundancy, but can be configured otherwise if necessary.. Moreover, the NVH-1504IR offers redundancy possibilities if required.

Optional expansions:

- VDG Video server storage
- Redundant power supply
- Quad card for four monitor output
- NVH-GBLAN for 1 extra Ethernet connection port
- Ethernet server adapter fiber



(incl. assembly and config)	2TB 4TB 6TB 8TB 10TB 12TB
Pro video server storage	NVH-92TB NVH-94TB NVH-96TB NVH-98TB NVH-910TB NVH-912TB
(incl. assembly and config)	1TB         2TB         3TB         4TB         6TB         8TB         10TB
Basic video server storage	NVH-81TB NVH-82TB NVH-83TB NVH-84TB NVH-86TB NVH-88TB NVH-810T
NVH-RPSU-500W	Redundant PSU for NVH-1504IR (to replace standard NVH-1504IR PSU)
NVH-I350F2	Ethernet server adapter fiber
NVH-GBLAN	Extra 100/1000Mbps LAN interface
NVH-QUAD	Quad mini displayport/DVI-D output
VDG Server accessories	
Supplied Accessories	Slide rail
	USB Optical Mouse Power Cord 1.5 meter
	USB Compact Keyboard
NVH-1504IR	Video server 19", 4U, 4 bay HS, i7, SSD, RAID
Storage Temperature	-40° C - 65° C (-40°F - 149°F)
Operating Temperature	5° C - 40° C (41°F - 104°F)
Environmental	
Power Consumption	250W
	500W Redundant power supply (upgrade)
Power Supply	600W Single (standard)
Power Input	100-240VAC,50/60Hz 5A
Electrical	
Dimensions (DxWxH)	562 mm x 430 mm x 176 mm (22.1 x 16.9 x 6.9)
Form Factor	4U 19-inch Rack ount
Mechanical	
Video output	2 x DVI / 1x DisplayPort
Network Interface	Dual Gigabit Ethernet RJ-45 (10/100/1000 MB/s)
Memory	16GB memory
Effective recording storage capacity Processor	30TB (after Raid 5) Intel i7 processor
	Except Raid 1 configuration with 2 hard drives
Raid configuration	Standard Raid 5 configuration
Recording storage capacity	Up to 40TB (3.5" hard disk drives)
Hard disk	64GB SSD (included)



NVH-1504IR





FRONT





## ВАСК





## RELATED



#### Intel NVH-GBLAN

The NVH-GBLAN is a PCI Express Ethernet adapter perfect for expanding your Ethernet port(s).

## 10

#### AMD NVH-QUAD

A Low profile, Multi-View, Mini DisplayPort Quad Graphic Card



#### WesternDigital NVH Basic Server Storage Basic server storage for the storage environments.



#### WesternDigital NVH Pro Server Storage Professional server storage for the most demanding storage environments.